
APPROVED	O.G. FIG.		
ВУ	CLASS	SUBCLASS	
DRAFTSMAN			





1 m

IJ.

43

as =

#2 £


100

ı,

:5







Hart Hart

aut :

, A'' !








Fig. 3

mst :

iš

4.4

I.

Fig. 4

Device
Housing
100

Power
Transmitting Pulley
From Belt to
Generator
170

Generator
170

Tension

Roller

Push Spring Anchor Block

136

Optical

Sensor 370

Battery 175

Equip. Rt.
Spindle Drive
Shaft 90

Belt to Rt. Spindle
Transmit Hub Right Wheel 190
Shaft Power Hub
310 Pulley

(9)

Optical Right
Beam Mirror
355 365

Tension Arm

Spring -

Tension

Roller

Left Hub

Pulley

Left Mirror


360

LED -

Emitter

350

Left Front Sensor 349 ____




The state of the s

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		·


ast :

Fig. 6




Í	APPROVED	O.G. FIG.		
١	ву	CLASS	SUBCLASS	
	DRAFTSMAN			

Fig. 7



The state of the s



And the state of t

###

IJ,

: 125

in i

Ę.







Fig. 9

40.0







Fig. 10B





£